


ASSEMBLY INSTRUCTIONS

201204 - TWIN TWIN MISSION BUNK BED

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware. Compare with the parts list to be sure all parts are present.



**“DO NOT TIGHTEN SCREWS
UNTIL COMPLETELY ASSEMBLED”**

SIZE OF MATTRESS AND FOUNDATION (SUPPORT)

This bed is designed to use a twin mattress (37½”-38½” x 74-75” and bunkie board (37½” x 74”). The total thickness must not exceed **9”** inches. Do not use mattress without the proper bunkie board of safe foundation.

Note: There must be at least **5”** inches from top surface of mattress to top edge of guardrails.


REPLACEMENT PARTS.

Replacement parts, including additional guardrails, may be obtained from place of purchase or original distributor.


TO OBTAIN PARTS, PLEASE CONTACT: **DONCO TRADING COMPANY - FORT WORTH, TEXAS**

SAFETY WARNINGS!


- 1- Follow the information on the warning label appearing on the upper bunk end structure and on the carton. Do not remove warning label from bed.
- 2- Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- 3- Surface of mattress must be at least 5 inches below the upper edge of guardrails.
- 4- Do not allow children under 6 years of age to use the upper bunk.
- 5- Prohibit more than one person on upper bunk.
- 6- Periodically check and ensure that the guardrail, ladder and other components are in their proper position free from damage, and that all connectors are tight.
- 7- Do not allow horseplay on or under the bed and prohibit jumping on the bed.
- 8- Always use the ladder for entering and leaving the upper bunk.
- 9- Do not use substitute parts. Contact distributor or dealer for replacement parts.
- 10- Use of a night light may provide added safety precaution for a child using the upper bunk.
- 11- If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- 12- Always use guardrails on both long sides of the upper bunk.
- 13- The use of water or sleep flotation mattresses is prohibited.
- 14- Keep these instructions for future reference.
- 15- Strangulation Hazard - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed: for example, but not limited to, hooks, belts, and jump ropes, etc.




!
* Use of power tool to assemble this product will invalidate any claim and damage this product making unsafe !!!
* Please assemble on a clean soft surface to avoid damage.




+



Tools Required



(Not included)




(Not included)













IMPORTANT: PLEASE READ INSTRUCTIONS BEFORE STARTING THE ASSEMBLY




Part list: - 201204 - Twin Twin Mission Bunk Bed



Identifying the Hardware-Identify the hardware using the illustrations below.

A		Qty 28	B		Qty 04	C		Qty 12
D		Qty 26	E		Qty 08	F		Qty 12
G		Qty 06	H		Qty 35	I		Qty 02
J		Qty 01						



01



A		Qty
	10 x 40 Wood Dowel	28

02




PLEASE ASSEMBLE ON A FLAT SURFACE AS A TABLE OR FLOOR






03

BOTTOM BED


PLEASE ASSEMBLE ON A FLAT SURFACE AS A TABLE OR FLOOR




04



FRONT

B  Qty **04**
15 x 100 Wood Dowel


C  Qty **04**
1/4" x 100 Screw

F  1/4" Half Moon Qty **04**


J  Hex Screwdriver Qty **01**


05

TOP BED



PLEASE ASSEMBLE ON A FLAT SURFACE AS A TABLE OR FLOOR







D  Qty **08**
7,0 x 80 Screw

J  Hex Screwdriver Qty **01**




06



PLEASE CENTRALIZE THE TOP CAP AT THE LEGS





G   Qty **06**
4,0 x 40 Screw

07




C   Qty **08**
Ø17 1/4" x 100 Screw

D   Qty **04**
Ø17 7,0 x 80 Screw


F  1/4" Half Moon Qty **08**


J  Hex Screwdriver Qty **01**

08



09






D  $\varnothing 17$ 7,0 x 80 Screw **Qty 04**


E  $\varnothing 17$ 7,0 x 50 Screw **Qty 04**

J  Hex Screwdriver **Qty 01**

10




D  $\varnothing 17$ 7,0 x 80 Screw **Qty 02**


E  $\varnothing 17$ 7,0 x 50 Screw **Qty 04**

J  Hex Screwdriver **Qty 01**

11







The first slats must be fixed to the end of the side rail bracket.
After fixed the first slat use the hardware letter I to help define the space between each next slats.
Use 1 I on the left side rail and 1 I on the right side rail

H  4,0 x 30 Screw **Qty 26**

I  Wooden spacer **Qty 02**

12



H  **4,0 x 30 Screw** **Qty 09**